



**SOCIETÀ ITALIANA DI ANDROLOGIA**  
Sez. Marche Emilia Romagna e Repubblica di S. Marino



**01 OTTOBRE 2016**  
ANCONA, Hotel SeePort

# Comuni...care

## Strategia diagnostico terapeutica dell' Andrologo

**Dr. Maurizio Diambrini**

FECSM

UOC Urologia JESI

## Traduttore

Disattiva traduzione istantanea



Inglese Francese Italiano Rileva lingua ▼



Italiano Francese Inglese ▼

Traduci

care



ke(ə)r

## Definizioni di CARE

*sostantivo*

the provision of what is necessary for the health, welfare, maintenance, and protection of someone or something.

«the care of the elderly»

*sinonimi*: safekeeping, supervision, custody, charge, protection, control, responsibility, gu...

*verbo*

feel concern or interest; attach importance to something.

«they don't care about human life»

*sinonimi*: be concerned, worry (oneself), trouble oneself, concern oneself, bother, mind, b...

phkhsu/ɪmɪnəs

cura



Suggestisci una modifica

## Traduzioni di care

*sostantivo*

la cura care, cure, treatment, charge, remedy, heed

la custodia custody, care, safekeeping, casing, keeping, sleeve

le cure care

le attenzione attention, care, notice, heed, carefulness, kindness

la premura care, hurry, attention, kindness, haste, consideration

la diligenza diligence, care, stagecoach, assiduity

la sollecitudine concern, solicitude, care, promptness, speed, kindness

Inglese Francese Italiano Rileva lingua ▼



Italiano Francese Inglese ▼

Traduci

cure



kyoor

## Definizioni di curé

*sostantivo*

a substance or treatment that cures a disease or condition.

«the search for a cure for the common cold»

*sinonimi*: remedy, medicine, medication, medicament, antidote, antiserum, treatment, ther...

*verbo*

relieve (a person or animal) of the symptoms of a disease or condition.

«he was cured of the disease»

*sinonimi*: heal, restore to health, make well/better, cleanse

*sostantivo*

cura



Su

## Traduzioni di cure

*sostantivo*

la cura care, cure, treatment, charge, remedy, heed

il rimedio remedy, cure, help, anodyne

la guarigione healing, recovery, cure

*verbo*

curare cure, treat, heal, take care, attend, edit

guarire heal, cure, recover, get out, convalesce, recruit

sanare heal, cure, correct, restore, put right

Comuni ...

Care

Cure

# Patients' Perceptions of Radical Prostatectomy for Localized Prostate Cancer: A Qualitative Study

Sophia Eilat-Tsanani MD<sup>1,4</sup>, Hava Tabenkin MD<sup>1,4</sup>, Joseph Shental MD<sup>2</sup>, Irit Elmalah MD<sup>3</sup> and Dov Steinmetz MD<sup>5</sup>

Departments of <sup>1</sup>Family Medicine, <sup>2</sup>Urology and <sup>3</sup>Pathology, HaEmek Medical Center, Afula, Israel

<sup>4</sup>Faculty of Medicine in the Galilee, Bar-Ilan University, Safed, Israel

<sup>5</sup>Department of Family Medicine, Sackler Faculty of Medicine, Tel Aviv University, Ramat Aviv, Israel

22 paz a 1 anno da RP

The main advantage of the study is that it portrays the dilemma of living with cancer or living with the outcomes of treatment. Our study brings an overarching description of the experience of the disease and the outcomes of the surgical treatment. The retrospective view helps us understand the judgment of the men regarding RP and the importance of their relationship with the surgeons. This information is particularly important in light of the uncertainty of the contribution of RP to survival in localized prostate cancer.



the judgment of the men regarding RP and the importance of their relationship with the surgeons. This information ing follow-up. That involves providing psychological support themselves or in collaboration with other health professionals.

*I maghi del bisturi  
devono studiare l'empatia*



22 settembre 2013, pag 63

... Valida preparazione tecnica, ma ridotta capacità ad ascoltare i malati.

E' un giudizio in chiaroscuro quello sui chirurghi italiani che emerge dall'indagine svolta da Acoi (Associazione Chirurghi Ospedalieri Italiani) in collaborazione con Cittadinanzattiva - Tribunale dei diritti del malato.

Lo studio ha preso in esame quasi 2400 persone ricoverate in 240 ospedali. Solo il 5 per cento degli intervistati ha ritenuto insufficiente il trattamento ricevuto, ma nell'ambito del rapporto medico-paziente

i malati vorrebbero sentire più vicini gli esperti del bisturi ed avere informazioni più completa sul trattamento loro destinato.

First International Journal of Andrology

# ANDROLOGIA

## ORIGINAL ARTICLE

### **Education in sexual medicine – a nationwide study among German urologists/andrologists and urology residents**

I. Schloegl<sup>1</sup>, F. M. Köhn<sup>2</sup>, A. Dinkel<sup>3</sup>, H. Schulwitz<sup>1</sup>, J. E. Gschwend<sup>1</sup>, H. A. G. Bosinski<sup>4</sup> & K. Herkommer<sup>1</sup>

<sup>1</sup> Department of Urology, Klinikum rechts der Isar, Technical University of Munich, Munich, Germany;

<sup>2</sup> Andrologicum, Munich, Germany;

<sup>3</sup> Department of Psychosomatic Medicine and Psychotherapy, Klinikum rechts der Isar, Technical University of Munich, Munich, Germany;

<sup>4</sup> Praxis für Sexualmedizin, Kiel, Germany

## Summary

Although sexual-related problems are very prevalent, inadequate training for physicians has been reported. The aim was to investigate the educational situation in sexual medicine, including sexual dysfunctions, gender dysphoria and paraphilia, among German physicians in urology and andrology. Additional, barriers when addressing sexual health issues and confidence in taking care of patients with sexual-related problems were evaluated. A questionnaire was sent



# HHS Public Access

Author manuscript

*Sex Transm Dis.* Author manuscript; available in PMC 2016 August 01.

Published in final edited form as:

*Sex Transm Dis.* 2016 February ; 43(0 0 1): S102–S112. doi:10.1097/OLQ.0000000000000327.

## The Role of Behavioral Counseling in STD Prevention Program Settings

Kathryn A. Brookmeyer, Matthew Hogben, and Jennine Kinsey  
DSTDP, Centers for Disease Control and Prevention

**Methods**—We reviewed existing systematic reviews of the literature and abstracted from them studies that fit the following criteria in that the interventions: (1) used no more than 60 minutes contact time in 1 to 2 sessions, (2) were individual-level and face to face, (3) took place in a clinical setting, (4) had STD outcomes available, (5) were based in the United States, (6) were peer-reviewed, and (7) had a control group.

**Results**—From 6 reviews (published 2006 – 2014) covering 91 studies, we found 13 analyses representing 11 intervention studies that fit the selection criteria. Of these 13, 5 returned lower STD rates in the intervention group at follow-up; one study reported a higher rate of STD in one subset of the intervention group (men who have sex with men: MSM). Studies with effects on STD at follow-up were quite similar to studies across populations, settings and follow-up periods, although successful interventions were more likely to demonstrate behavioral effects as well (5 of 5 versus 2 of 5 among 10 interventions measuring behavior change).

Strategia tecnico specialistico  
relazionale

bidirezionale

Ciclo comunicativo

Obiettivo benessere psicofisico

Le esigenze del paziente

Le esigenze dell ascoltatore

Paziente - cliente

Medico - counsellor



Difese

Resistenze

False soluzioni

Coping

Resilienza

# Resilienza (psicologia)

Da Wikipedia, l'enciclopedia libera.

In [psicologia](#), la **resilienza** è una parola che indica la capacità di far fronte in maniera positiva a eventi [traumatici](#), di riorganizzare positivamente la propria vita dinanzi alle difficoltà, di ricostruirsi restando sensibili alle opportunità positive che la vita offre, senza alienare la propria identità.

Sono persone resilienti quelle che, immerse in circostanze avverse, riescono, nonostante tutto e talvolta contro ogni previsione, a fronteggiare efficacemente le contrarietà, a dare nuovo slancio alla propria esistenza e perfino a raggiungere mete importanti.


# Coping :

letteralmente significa “cavarsela”, “affrontare con successo”.

1966 Richard S. Lazarus con l’opera  
“Psychological stress and the coping process”.

E’ un concetto strettamente connesso con quello di stress.

Infatti indica l’insieme delle strategie cognitive e comportamentali messe in atto da una persona per fronteggiare una situazione di stress.



# coping :

gestione dei problemi

gestione delle emozioni.

La prima consiste nel cercare di liberarsi del problema;  
la seconda, nel cercare di liberarsi della sofferenza causata  
dal problema.

Presumibilmente, le persone ricorrerebbero al coping  
basato sulla soluzione di riduzione dello stress basato sulla  
**rivalutazione cognitiva**  
e lo **spostamento dell' attenzione**.

Nella realtà, il fronteggiamento efficace  
comprende sia la soluzione del problema che la gestione  
dello stress



## Coping attivo:

ciò che un individuo fa  
effettivamente per affrontare una  
situazione difficile e dolorosa per  
la quale non è preparato

## Coping passivo:

modo in cui l'individuo si adatta  
emotivamente  
a tale situazione.



## coping attivo

è più efficace, dal punto di vista dell'adattamento, quando la fonte dello stress può essere modificata o eliminata



## coping passivo

efficace quando la fonte di stress non è evitabile o il soggetto non ha alcuna influenza su di essa.



## Longitudinal Effects of Social Support and Adaptive Coping on the Emotional Well-Being of Survivors of Localized Prostate Cancer

Eric S. Zhou, MS, Frank J. Penedo, PhD, Natalie E. Bustillo, BS, Catherine Benedict, BS, Mikal Rasheed, MS, Suzanne Lechner, PhD, Mark Soloway, MD, Bruce R. Kava, MD, Neil Schneiderman, PhD, and Michael H. Antoni, PhD  
Department of Psychology, University of Miami, Coral Gables, Florida; Sylvester Comprehensive Cancer Center, University of Miami Miller School of Medicine, Miami, Florida; Miami VA Medical Center, Miami, Florida; and Department of Medicine, University of Miami Miller School of Medicine, Miami, Florida

# Meccanismi di COPING

VENTING : sfogarsi


POSITIVE REFRAMING: Ricontestualizzazione

PLANNING

HUMOR

ACCEPTANCE

RELIGION



BC populations, use of coping strategies has been associated with enhanced physical health and decreased emotional distress immediately following treatment.<sup>15</sup> Furthermore, the use of adaptive coping techniques, such as information seeking, problem-solving, seeking emotional and instrumental support, humor, and religion, was associated with reduced depression and anxiety and improved overall quality of life in a meta-analysis of the coping literature in survivors of PC.<sup>16</sup> In contrast, the use of maladaptive coping strategies, such as denial, has been associated with increased depression and poorer overall well-being in survivors of PC.<sup>3,16</sup>


## Maladaptive Coping

FALSE soluzioni come la NEGAZIONE





Il coping è una  
**strategia fondamentale**  
per il raggiungimento del benessere  
e presuppone un'  
**attivazione comportamentale** dell'individuo,  
che lo renda **protagonista**  
della situazione e non soggetto passivo.



I meccanismi individuali di adattamento si relazionano sia alla capacità di attivare le risorse interne preesistenti , che a quella di adottarne nuove ossia alla possibilità di imparare e allargare il proprio “repertorio di strategie”.

In questa direzione si inserisce il concetto di **empowerment**, capacità individuale di praticare e rendere operative le proprie risorse individuali, che contribuisce al percorso individuale verso il benessere.



Retrospective analysis of 26,993 uro-andro-sexological visits  
during 20 years activity from 1995 to January 2016  
catchment area 40,000 peoples  
single uroandrological clinical sexologist  
unique original dedicated data base

### Results

Sexological problems in 4215 of the total 26993 visits **15.6%**

January 2014 - January 2016 : 2849 visits

statistically significant **increase** of sexological problems :

799 visits = **28%**



4215 visits

400 (9,4 %) Erectile Dysfunction ED at first approach  
1231 (29,2%) at subsequent visits

354 (8.3 %) Premature Ejaculation PE at first approach  
374 PE at subsequent visits

Embarrasement of the truth

## Period 2014- 2016 : 799 sexological

ED 44.3 % 353

PE 17.8 % 152

mixed ED and PE 9.5 % 76


in the other 224 visits :

relational disorders 12.5 % 100 with 26 couples problems


anxiety 3.2 % 26

ED to subsequent interviews 8.2 % 66

disturbance of desire 0.7 % 6



## Age related case report



# CONCLUSION ?????

UP WITH ANDROLOGY AND SEXOLOGY !!!  
POINT OF ARRIVAL OR DEPARTURE ??



Thanks for your patience

Backstage

Effetto

placebo 30 %

Effetto

nocebo ??



Il sesso e i diversi momenti della vita

Il sesso e la teoria della relatività: il continuum  
spazio temporale

Qualcosa è cambiato: il tempo, il fisico , la malattia  
la coppia

La filosofia del sesso nella vita

Applausi ... care  
a tutti

